CHM151 Quiz 10 25 Pts Spring 2015 Name:

Due at time of final exam. Provide explanations for your answers.

- 1. Which one of the following substances is expected to have the lowest melting point?
 - A) BrI
 - B) CsI
 - C) LiI
 - D) NaI
 - E) RbI
- 2. Which one of the following substances will have both dispersion forces and dipole-dipole forces?
 - A) HCl
 - B) BCl₃
 - C) Br₂
 - D) H₂
 - E) CO₂
- 3. Arrange the following substances in order of increasing boiling point: CH₃OH, He, CH₃Cl, and N₂
 - A) $CH_3OH < He < CH_3Cl < N_2$
 - B) $He < N_2 < CH_3OH < CH_3Cl$
 - C) $N_2 < He < CH_3OH < CH_3Cl$
 - $D) \quad He < N_2 < CH_3 Cl < CH_3 OH$
 - $E) \quad CH_{3}Cl < He < N_{2} < CH_{3}OH$
- 4. Which of the following liquids would have the highest viscosity at 25° C?
 - A) CH₃OCH₃
 - B) CH_2Cl_2
 - C) C₂H₅OH
 - D) CH₃Br
 - E) HOCH₂CH₂OH
- 5. For which of the following species are the dispersion forces strongest?
 - A) C_4H_{10}
 - B) C_5H_{12}
 - C) C_6H_{14}
 - D) C₇H₁₆
 - E) C_8H_{18}

- 6. The intermolecular forces present in CH₃NH₂ include which of the following?
 - I. dipole-dipole
 - II. ion-dipole
 - III. dispersion
 - IV. hydrogen bonding
 - A) I, II, III, and IV
 - B) I and III
 - C) I, III, and IV
 - D) I and II
 - E) II and IV
- 7. The intermolecular forces present in HSCH₂CH₂SH include which of the following?
 - I. dipole-dipole
 - II. ion-dipole
 - III. dispersion
 - IV. hydrogen bonding
 - A) I, II, III, and IV
 - B) I and III
 - C) I, III, and IV
 - D) I and II
 - E) II and IV
- 8. Which of following can form hydrogen bonds with water molecules?


(1) Na^+ (2) CH_3COOH (3) C_2H_6 (4) CH_3NH_2

- A) (1) and (2)
- B) (1) and (3)
- C) (2) and (3)
- D) (2) and (4)
- E) (3) and (4)
- 9. An example of a covalent network solid is
 - A) diamond.
 - B) potassium.
 - C) iodine.
 - D) sodium chloride.
 - E) None of these.


10. HOCH₂CH₂OH(s) is classified as which of the following?

- A) metallic crystal.
- B) covalent solid.
- C) molecular crystal.
- D) amorphous solid.
- E) ionic crystal.

11. Based on the phase diagram shown below, how will the melting point of the substance change if the pressure is increased above 1 atm?



- A) The melting point will decrease.
- B) The melting point will remain the same.
- C) The melting point will increase.
- D) The substance will not melt at pressures of 1 atm and above; instead, the solid sublimes to form the gas phase.
- 12. Which one of the following would be immiscible with water?



- 13. Which response lists all the following pairs that are miscible liquids.
 - Pair #1: octane (C_8H_{18}) and water
 - Pair #2: acetic acid (CH₃COOH) and water
 - Pair #3: octane (C_8H_{18}) and carbon tetrachloride(CCl_4)
 - A) 1, 3
 - B) 1, 2
 - C) 3
 - D) 2
 - E) 2, 3
- 14. In which of the following solvents would you expect KBr to be most soluble?
 - A) C_6H_{14} (hexane)
 - B) CH₃CH₂OH (ethanol)
 - C) C_6H_6 (benzene)
 - D) CCl₄ (carbon tetrachloride)
 - E) C₆H₁₂ (cyclohexane)
- 15. Which of the following compounds should be soluble in CCl₄?
 - A) NaCl
 - B) H₂O
 - C) NaOH
 - D) C₈H₁₈
 - E) None of these
- 16. Calculate the mole fraction of KI in a solution made by dissolving 3.4 g of KI in 5.8 g of water.
 - A) 0.060
 - B) 0.064
 - C) 0.37
 - D) 0.59
 - E) 6.4
- 17. A 9.50 % by mass solution of acetone (C_3H_6O) in water has a density of 0.9849 g/mL at 20°C. What is the molarity of this solution?
 - A) 0.621 M
 - B) 1.61 M
 - C) 1.66 M
 - D) 1.71 M
 - E) 16.9 M

- 18. In how many grams of water should 25.31 g of potassium nitrate (KNO₃) be dissolved to prepare a 0.1982 m solution?
 - A) 250.0 g
 - B) 792.0 g
 - C) 1,000. g
 - D) 1,263 g
 - E) 7,917 g

19. Calculate the molality of $6.0 \text{ M H}_2\text{SO}_4$ solution. The density of the solution is 1.34 g/mL.

- A) 4.48 m
- B) 7.98 m
- C) 8.10 m
- D) 8.43 m
- E) 10.2 m
- 20. Consider a solution made from a nonvolatile solute and a volatile solvent. Which statement is true?
 - A) The vapor pressure of the solution is always greater than the vapor pressure of the pure solvent.
 - B) The boiling point of the solution is always greater than the boiling point of the pure solvent.
 - C) The freezing point of the solution is always greater than the freezing point of the pure solvent.
- 21. What is the freezing point of a solution that contains 10.0 g of glucose ($C_6H_{12}O_6$) in 100.g of H_2O ? K_f for water is 1.86°C/m.
 - A) +0.10°C
 - B) +0.186°C
 - C) –0.10°C
 - D) $-0.186^{\circ}C$
 - E) -1.03°C
- 22. Which of the following aqueous solutions has the highest boiling point (assume 100% dissociation for all soluble ionic compounds)?
 - A) 0.10*m* Al(NO₃)₃
 - B) 0.11*m* Na₂SO₄
 - C) $0.15m \text{ K}_2\text{CO}_3$
 - D) 0.18*m* NaCl
 - E) $0.35m C_6 H_{12} O_6$

- 23. A solution that contains 55.0 g of ascorbic acid (Vitamin C) in 250. g of water freezes at -2.34°C. Calculate the molar mass (in units of g/mol) of the solute. K_f of water is 1.86°C/m.
 - A) 1.26
 - B) 10.9
 - C) 43.6
 - D) 175
 - E) 277
- 24. Arrange the following aqueous solutions in order of increasing boiling points: 0.300*m* C₆H₁₂O₆, 0.110*m* K₂CO₃, and 0.050*m* Al(ClO₄)₃
 - A) $C_6H_{12}O_6 < K_2CO_3 < Al(ClO_4)_3$
 - B) $Al(ClO_4)_3 < C_6H_{12}O_6 < K_2CO_3$
 - C) $C_6H_{12}O_6 < Al(ClO_4)_3 < K_2CO_3$
 - D) $K_2CO_3 < C_6H_{12}O_6 < Al(ClO_4)_3$
 - E) $K_2CO_3 < Al(ClO_4)_3 < C_6H_{12}O_6$
- 25. Give the number of lone pairs around the central atom and the molecular geometry of IF₅.
 - A) 0 lone pairs, square pyramidal
 - B) 0 lone pairs, trigonal bipyramidal
 - C) 1 lone pair, octahedral
 - D) 1 lone pair, square pyramidal
 - E) 2 lone pairs, pentagonal